

PRODUCT INFORMATION

Product name : DLX5 antibody

Product type : Primary antibodies

Description : Rabbit polyclonal to DLX5

Immunogen : 3 synthetic peptides (human) conjugated to KLH

Reacts with : Hu, Ms

Tested applications : ELISA, WB and IF

GENE INFORMATION

Gene Symbol : DLX5

Gene Name : distal-less homeobox 5

Ensembl ID : ENSG00000105880

Entrez GeneID : 1749

GenBank Accession number : NM_005221.5

Omim ID : 600028

Swiss-Prot : P56178

Molecular weight of DLX2 : 31.5kDa

Expected subcellular localization : Nucleus.

Summary : This gene encodes a member of a homeobox transcription factor gene family similar to the *Drosophila* distal-less gene. The encoded protein may play a role in bone development and fracture healing. Mutation in this gene, which is located in a tail-to-tail configuration with another member of the family on the long arm of chromosome 7, may be associated with split-hand/split-foot malformation. [provided by RefSeq]

APPLICATION NOTE

Recommended dilution :

- **ELISA:** Antibody specificity was verified by direct ELISA against the 3 immunogen peptides. A titer of 1/15000 has been determined. Appropriate specificity controls were run.
- **WB:** 1/5000.
- **IF:** 1/1000.

Optimal dilutions/concentration should be determined by the end user.

Raised in : Rabbit

Clonality : Polyclonal

Isotype : IgG

Purity : Purified Antibody

Storage buffer : 0.5 X PBS, containing a final concentration of 50% Glycerol, 0.1% BSA and 0.01% Thimerosal.

Form : Liquid

Storage instruction : Store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.


WESTERN BLOT ON RECOMBINANT PROTEIN

The purified antibody ENSG00000105880 has been tested at 1/5000 on uninduced (negative control) and induced culture of E.coli (one shot Top10 competent cells).

An anti-thio (positive control) has been tested at 1/5000 on uninduced (negative control) and induced culture of E.coli (one shot Top10 competent cells) as a positive control.

Plasmid name : pBAD-DEST49.

Molecular weight of DLX5 : 45.5kDa (31.5kDa + another 14kDa for the tag).



Gel concentration: 10%

Blocking: in 5% non-fat milk-PBST solution

1st Antibody: The antibodies are diluted in blocking buffer.

- Dilute the purified antibody ENSG00000105880 at 1:5000
- Dilute the anti-thio at 1:5000

60 minutes of incubation

2nd Antibody: The antibody is diluted in blocking buffer.

- Dilute the anti-Rabbit IgG HRP conjugated at 1/10000
- 60 minutes of incubation

IMMUNOFLUORESCENCE ANALYSIS

Immunofluorescence analysis of Homeobox protein DLX-5 (DLX5) expression in 3 cells lines (HELA, Capan-2, Skin 3,44). The purified Antibody ENSG00000105880 has been tested at 1/5000.

Red staining : cytoskeleton (microtubules/ α -tubuline)

Blue staining : nucleus (Hoechst)

Green staining : anti- DLX5 antibody (purified)

Expected subcellular location : Nucleus

